30 SECONDS Cleaners

30 Seconds Outdoor Multi Surface Cleaner RTS

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 Issue date: 8/13/2021 Revision date: 8/24/2022 Supersedes : 8/11/2022 Version: 3.1

SECTION 1: Identification	
1.1. Identification	
Product form Product name	: Mixture : 30 Seconds Outdoor Multi Surface Cleaner RTS
1.2. Recommended use and restrictions	on use
Use of the substance/mixture	: Cleaner
1.3. Supplier	
Manufacturer 30 Seconds Cleaners 755 Tri-State Parkway Gurnee, IL 60031 1-503-669-1953	
1.4. Emergency telephone number	
Emergency number	: 1-800-535-5053
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	ixture
GHS US classification	
Skin Corr. 1C Eye Dam. 1	Causes severe skin burns and eye damage. Causes serious eye damage.
2.2. GHS Label elements, including prec	autionary statements
GHS US labelling Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	 Danger Causes severe skin burns and eye damage. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Wear protective gloves, eye protection. If swallowed: rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Sodium hypochlorite	CAS-No.: 7681-52-9	7 – 13
Sodium metasilicate	CAS-No.: 6834-92-0	1 – 5

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact	: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and ef	fects (acute and delayed)
Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Causes burns to the respiratory system.
Symptoms/effects after skin contact	: Causes severe skin burns. Symptoms may include redness, pain, blisters.
Symptoms/effects after eye contact	 Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishin	ig media
Suitable extinguishing media Unsuitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. : Do not use water jet.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

5.2. Specific hazards arising from the c	hemical
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon. Toxic and corrosive vapours may be released.
5.3. Special protective equipment and p	precautions for fire-fighters
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release	se measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.1.1. For non-emergency personnel	
No additional information available	
6.1.2. For emergency responders	
No additional information available	
6.2. Environmental precautions	
Prevent entry to sewers and public wate	ers. Avoid release to the environment.
6.3. Methods and material for co	ntainment and cleaning up
For containment	: Stop leak if safe to do so. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Use only in well ventilated areas.
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Wash hands thoroughly after handling.
7.2. Conditions for safe storage, i	ncluding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	 Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well- ventilated place. Store locked up.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 8: Exposure controls/person	al protection
8.1. Control parameters	
30 Seconds Outdoor Multi Surface Cleaner	RTS
No additional information available	
Sodium hypochlorite (7681-52-9)	
USA - AIHA - Occupational Exposure Limits	
WEEL STEL	2 mg/m³ (15-min. STEL)
Sodium metasilicate (6834-92-0)	
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.
Environmental exposure controls	: Avoid release to the environment.
8.3. Individual protection measures/Person	al protective equipment
Hand protection:	
Wear suitable gloves resistant to chemical penetrati	on
Eye protection:	
Wear eye protection	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable resp	iratory equipment. Respirator selection must be based on known or anticipated exposure levels, the

hazards of the product and the safe working limits of the selected respirator.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Pale/ clear yellow
Colour	: Pale/ clear yellow
Odour	: Faint bleach
Odour threshold	: No data available
рН	: 12.63 (Alkali Reserve: 0.5892)
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F
Relative evaporation rate (butylacetate=1)	: No data available



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Flammability (solid, gas)	: Not flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.1
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use. Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information		
11.1. Information on toxicological	effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified. Not classified. Not classified. 	
30 Seconds Outdoor Multi Surface Cleaner RTS		
ATE US (oral)	5238.112 mg/kg	
Sodium hypochlorite (7681-52-9)		
LD50 oral rat	1100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Sodium hypochlorite (7681-52-9)	
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:16 CFR 1500.40
LC50 inhalation rat	> 10.5 mg/l (Exposure time: 1 h)
ATE US (oral)	1100 mg/kg bodyweight
Sodium metasilicate (6834-92-0)	
LD50 oral rat	1153 mg/kg
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 inhalation rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
ATE US (oral)	1153 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns. pH: 12.63 (Alkali Reserve: 0.5892)
Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Causes serious eye damage. pH: 12.63 (Alkali Reserve: 0.5892) Not classified. Not classified. Not classified.
Sodium hypochlorite (7681-52-9)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified.
Sodium metasilicate (6834-92-0)	
NOAEL (animal/female, F0/P)	> 159 mg/kg bodyweight Animal: rat, Animal sex: female
STOT-single exposure	: Not classified.
Sodium hypochlorite (7681-52-9)	
STOT-single exposure	May cause respiratory irritation.
Sodium metasilicate (6834-92-0)	, , , , , , , , , , , , , , , , , , ,
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified.
Sodium metasilicate (6834-92-0)	
NOAEL (oral, rat, 90 days)	227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
Aspiration hazard Viscosity, kinematic Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Not classified. No data available Causes severe skin burns and eye damage. Causes burns to the respiratory system. Causes severe skin burns. Symptoms may include redness, pain, blisters. Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns. May be harmful if swallowed. May cause burns or irritation of the linings of the mouth, throat, an gastrointestinal tract.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 12: Ecological information

12.1. Toxicity		
Ecology - general :	May cause long-term adverse effects in the aquatic environment.	
Sodium hypochlorite (7681-52-9)		
LC50 - Fish [1]	0.06 – 0.11 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 - Crustacea [1]	141 μg/l Test organisms (species): Daphnia magna	
LC50 - Fish [2]	4.5 – 7.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [2]	C50 - Crustacea [2] 35 μg/l Test organisms (species): Ceriodaphnia dubia	
Sodium metasilicate (6834-92-0)		
LC50 - Fish [1]	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])	
EC50 - Crustacea [1]	1700 mg/l Test organisms (species): Daphnia magna	
LC50 - Fish [2]	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)	

12.2. Persistence and degradability

30 Seconds Outdoor Multi Surface Cleaner RTS	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	

30 Seconds Outdoor Multi Surface Cleaner RTS	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	

: No other effects known.

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport inform	nation		
In accordance with DOT / IATA			
14.1. UN number			
DOT NA No UN-No. (IATA)	: UN1760 : 1760		

Other information



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

14.2. UN proper shipping name

Proper Shipping Name (DOT)	
Proper Shipping Name (IATA)	

: Corrosive liquids, n.o.s. (Sodium hypochlorite): Corrosive liquid, n.o.s. (Sodium hypochlorite)

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) Hazard labels (DOT)



IATA Transport hazard class(es) (IATA) Danger labels (IATA)

: 8 : 8

14.4. Packing group		
Packing group (DOT) Packing group (IATA)	: III : III	
14.5. Environmental hazards		
Other information	: No supplementary information available.	
14.6. Special precautions for user		
Special transport precautions	: Do not handle until all safety precautions have been read and understood.	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 16: Other information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012		
Issue date	: 08/13/2021	
Supersedes date	: 8/11/2022	
Revision date	: 8/24/2022	
Other information	: None.	

Indication of changes:	
Disclosure V3.1 – Removed HNOC classification	

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.